



宁波轩畅电器有限公司
Ningbo Xuanchang Electric Co.,Ltd.
地址:浙江省慈溪市龙山镇筋竹南路 25 号
Add:No.25 Jinzhu South Road,Longshan Town,Cixi County,Zhejiang Province.
内贸电话:86-574-63736800
外贸电话:86-574-63739585
传真:86-574-63739999 63739585
<http://www.opnan.com>
E-mail:xc@opnan.com

直饮净水机

DIRECT DRINKING WATER PURIFIER



轩畅净水品行超群



Opnan® 欧普蓝

宁波轩畅电器有限公司坐落在杭州湾跨海大桥南岸，世界闻名的小家电生产基地—浙江慈溪，是中国最具规模的水处理设备生产企业之一。公司凭借国际领先技术水平，投入巨资引进行业最新进的水处理生产线、检测系统、近30台海天注塑机等设备，建立了轩畅水家电欧普蓝品牌大型生产基地，产品质量和产品成本得到了有效的保障和控制，多年来一直与国内外知名净水企业在技术和贸易上通力合作，产品出口韩国、巴西、日本、东南亚以及欧美等国家。是国内知名净水企业的生产供应商。公司通过了ISO9001国际质量管理体系认证、产品获得了国家3C安全强制认证、CE欧盟认证并通过了卫生部门饮水卫生标准审核。

轩畅公司技术研发人员经常与国内外权威专家一起学习、探讨、攻克净水领域新技术，对国内和国外的先进技术、产品设计、质量把控进行了认真的总结和完美的整合，使轩畅水家电产品无论在技术、设计、品质方面做到与众不同在国内外净水领域倍受同行们的赏识和尊崇，行业内一致肯定轩畅净水产品”屈指可数、独树一帜“，在市场上深受消费者的青睐，终端市场销量走势甚好，许多经销商纷纷抢先加盟代理。

轩畅公司在2011年六月份将在外贸出口的基础上全面启动国内净水市场，让国内的净水技术、饮水质量和产品品质与国际对接，带动和规范国内净水行业进入健康、良性发展的轨道，让中国百姓用上真正品质的净水设备，为消费者提供健康的服务。

我们将继续奉行“品质第一、诚信为本”的经营理念，不断挑战自我，继续维护轩畅公司企业形象，弘扬品牌精神，攀登科技高峰永无止境。

真诚欢迎各界朋友、行业同仁莅临我司参观指导，携手合作，共创辉煌。

NINGBO XUANCHANG ELECTRIC CO.,LTD Located in the world-renowned small-town home appliances-Cixi,Zhejiang. As the largest scale water treating equipment manufacturer in China, we rely on the internationally leading technological level investing heavily in introducing the latest water treatment production line, testing system, nearly 30 Haitian injection machines and other equipment in the industry. We wholeheartedly provide vast consumers with a new and healthy drinking water environment with good quality and good service.

The company has passed ISO9001 quality system certification, product quality, safe and reliable performance. 3C products have been mandatory certification and CE certification for European Union, and obtain permission for Health and the Ministry of Health approval.

Opnan direct drinking water purifier straight through water filtration system, to provide safety, health, convenience and fashion model of drinking water to human. Many businesses have been approved at home and abroad on OPNAN's superior product performance, stylish and elegant appearance and enjoy a high reputation in the market. The company based on the business philosophy of openness based on sincerity. We will serve customers at home and abroad with the best quality, fastest speed, the most favorable price. We will continue to challenge ourselves, scale the heights enthusiasm for the vast number of users with first-class products and first-class service, sincerely hope that friends from all walks of life to guide us, to work together to create brilliant.



办公区域

OFFICE AREA



Opnan® 欧普蓝



权威认证

Authoritative attestation

opnan® 欧普蓝

获得各项专利40多项



合作伙伴 Partners





抗紫外线材料
UV resistant material
外观材料均作抗紫外线处理，
保证长期使用依旧如新；
All exterior materials are treated with anti-ultraviolet, Ensure long-term use as new as ever;

个性定制
Personalized customization
优秀技术团队, 提供个性定制服务
为您排忧解难
Excellent technical team, providing customized service, Help you out;

超大冷胆
Super large cold tank
超大冷胆, 冰水畅饮
多人饮用, 清凉消暑
Super large cold tank, drink ice water freely Provide more cold water for more people

产品结构图 Product Structure



型号 MODEL

XC08-09A-WR

过滤方式 Water purification method	RO 反(渗透过滤) Reverse osmosis	UF(超细微孔过滤) Ultrafiltration
制水速度 Water purification ability	RO7.8-31.2L/h	UF 50L/h
净水箱容量 Water tank capacity	12L	
热水箱容量 Hot Water tank capacity	3.5-10L	
冷水箱容量 Cold Water tank capacity	5L	
冷水温度 Cold Water temp	4~10°C	
热水温度 Hot Water temp	85~95°C	
制冷器 Cooler	压缩机 Compressor	
产品尺寸 Size of model	380x460x1247mm或380x460x1390mm	
包装尺寸 Packing size	530x460x1315mm	
净重 Net weight	RO 33kg	UF 30kg
毛重 Gross weight	RO 36kg	UF 33kg
装柜数量 Container loading qty	40'HQ/220台	

DIRECT DRINKING WATER PURIFIER

直饮净水机



XC08-10B-WR

安全放心

Safe and reassuring

- 臭氧发生器及UV杀菌器可选
- 漏水警报保护
- 加热缺水保护, 防止干烧
- 童锁保护, 防止儿童误操作

Optional ozone generator and UV sterilizer

Leakage alarm protection

Heating water shortage protection to prevent dry burning

Child lock protection to prevent accidental operation by children

智能控制

intelligent control

夜晚自动开启节能睡眠模式

Automatically activate energy-saving sleep mode at night

方便实用

Convenient and practical

可提供热水、冰水, 常温水三种水

个性化储物柜设计, 方便滤芯更换

底部滑轮设计, 移动省心省力, 高度可调

We can provide three types of water: hot water, ice water, and room temperature water

Personalized storage cabinet design for easy filter replacement

Bottom pulley design, easy to move and effortless, with adjustable height.

型号 MODEL

XC08-10B-WR

过滤方式 Water purification method

RO 反(渗透过滤) Reverse osmosis

UF(超细微孔过滤) Ultrafiltration

制水速度 Water purification ability

RO 31.2L/h

50L/h

净水箱容量 Water tank capacity

12L

冷水箱容量 Cold Water tank capacity

5L

热水箱容量 Hot Water tank capacity

3.5L

冷水温度 Cold Water temp

4-10°C

热水温度 Hot Water temp

≥91°C

制冷器 Cooler

压缩机 Compressor

产品尺寸 Size of model

380x460x1247m

包装尺寸 Packing size

420x475x1260mm

净重 Net weight

33kg

30kg

毛重 Gross weight

36kg

33kg

装柜数量 Container loading qty

40'HQ/220台

DIRECT DRINKING WATER PURIFIER


直饮净水机



XC08-09B-WR

定时杀菌净化 Timed sterilization and purification	恒温加热 Constant temperature heating
净水箱定时杀菌杜绝二次污染; Regular sterilization of the clean water tank to prevent secondary pollution	持续提供≥92°C热水,解决多人喝水无需等待 Continuous supply ≥92°C hot water, Solve the problem of drinking water for many people without waiting
高精度除菌水嘴 High precision sterilizing nozzle	超大冷胆 Super large cold tank
高精度除菌水嘴设计,解决实用过程的细超标 High precision water nozzle design for bacteria removal, Solve the problem of exceeding the standard of bacteria in practical process	超大冷胆,冰水畅饮,多人饮用,清凉消暑 Superlarge cold tank, drink ice water freely, Provide more cold water for more people
抗紫外线材料 UV resistant material	个性化定制 Personalized customization
外观材料均作抗紫外线处理, 保证长期使用依旧如新; All exterior materials are treated with anti-ultraviolet, Ensure long-term use as new as ever;	优秀技术团队,提供个性化定制服务, 为您排忧解难 Excellent technical team, providing customized service, Help you out

产品结构图 Product Structure



型号 MODEL

XC08-09B-WR

过滤方式 Water purification method	RO 反(渗透过滤) Reverse osmosis	UF(超细微孔过滤) Ultrafiltration
制水速度 Water purification ability	RO 7.8-31.2L/h	UF 50L/h
净水箱容量 Water tank capacity	12L	
热水箱容量 Hot Water tank capacity	3.5-10L	
冷水箱容量 Cold Water tank capacity	5L	
冷水温度 Cold Water temp	4~10°C	
热水温度 Hot Water temp	85~95°C	
制冷器 Cooler	压缩机 Compressor	
产品尺寸 Size of model	380x460x1247mm 或 380x460x1390mm	
包装尺寸 Packing size	530x460x1315mm	
净重 Net weight	RO 33kg	UF 30kg
毛重 Gross weight	RO 36kg	UF 33kg
装柜数量 Container loading qty	40'HQ/220台	

DIRECT DRINKING WATER PURIFIER

直饮净水机

opnan
75
88
开水
童锁
常温

XC08-09C-WR

个性滤芯DIY 定制
Individual Filter Core, DIY
Custom-made

超标准配置最多配备8级滤芯, 随需求可添加特种滤芯,
依照个人要求增加矿物, 调节PH值。

Super standard configuration is equipped with up to
8 levels of filter elements. Special filter elements can be
added as required. Minerals can be added according
to personal requirements to adjust pH value.

opnan® 欧普蓝

型号 MODEL

XC08-09B-WR

过滤方式 Water purification method	RO 反(渗透过滤) Reverse osmosis	UF(超细微孔过滤) Ultrafiltration
制水速度 Water purification ability	RO 7.8-31.2L/h	UF 50L/h
净水箱容量 Water tank capacity	12L	
热水箱容量 Hot Water tank capacity	3.5-10L	
冷水箱容量 Cold Water tank capacity	5L	
冷水温度 Cold Water temp	4~10°C	
热水温度 Hot Water temp	85~95°C	
制冷器 Cooler	压缩机 Compressor	
产品尺寸 Size of model	380x460x1247mm 或 380x460x1390mm	
包装尺寸 Packing size	530x460x1315mm	
净重 Net weight	RO 33kg	UF 30kg
毛重 Gross weight	RO 36kg	UF 33kg
装柜数量 Container loading qty	40'HQ/220台	



DIRECT DRINKING WATER PURIFIER

直饮净水机

XC08-01A-WR

opnan® 欧普蓝

抗紫外线材料
UV resistant material

外观材料均作抗紫外线处理，
保证长期使用依旧如新；

All exterior materials are treated with anti-ultraviolet

超大冷胆
Super large cold tank

超大冷胆，冰水畅饮
多人饮用，清凉消暑


Super large cold tank, drink ice water freely
Provide more cold water for more people

个性化定制
Personalized customization

优秀技术团队，提供个性化定制服务，
为您排忧解难

Excellent technical team, providing
customized service, Help you out

产品结构图 Product Structure



型号 MODEL

XC08-01A-WR


过滤方式	Water purification method	RO 反(渗透过滤) Reverse osmosis	UF(超细微孔过滤) Ultrafiltration
制水速度	Water purification ability	7.8-31.2L/h	UF 50L/h
净水箱容量	Water tank capacity	12L	
冷水箱容量	Cold Water tank capacity	5L	
热水箱容量	Hot Water tank capacity	3.5-10L	
冷水温度	Cold Water temp	4~10°C	
热水温度	Hot Water temp	85~93°C	
制冷器	Cooler	压缩机	Compressor
产品尺寸	Size of model	476x380x1260mm	
包装尺寸	Packing size	530x460x1315mm	
净重	Net weight	33kg	UF 30kg
毛重	Gross weight	36kg	UF 33kg
装柜数量	Container loading qty	40'HQ/220台	

DIRECT DRINKING WATER PURIFIER

直饮净水机



产品结构图 Product Structure



个性化滤芯DIY定制 Individual Filter Core, DIY Custom-Made

超标准配置最多配备4级滤芯, 随需求可添加特种滤芯, 依照个人要求增加矿物, 调节PH值和酸碱度。

Super-standard configuration as high as level-4 of 13" filter core. Special filter core is available for special requirements. Minerals can be added and PH value can be regulated according to the individual requirements.

型号 MODEL

XC08-03A-WR

过滤方式 Water purification method	RO 反(渗透过滤) Reverse osmosis	UF(超细微孔过滤) Ultrafiltration
制水速度 Water purification ability	7.8-31.2L/h	50L/h
净水箱容量 Water tank capacity	5.1L	
冷水箱容量 Cold Water tank capacity	2.3L	
热水箱容量 Hot Water tank capacity	1.4L	
冷水温度 Cold Water temp	4~10°C	
热水温度 Hot Water temp	85~93°C	
制冷器 Cooler	压缩机 Compressor	
产品尺寸 Size of model	450x290x1150mm	
包装尺寸 Packing size	510x330x1215mm	
净重 Net weight	26.5kg	24kg
毛重 Gross weight	28.5kg	26kg
装柜数量 Container loading qty	40'HQ/320台	

DIRECT DRINKING WATER PURIFIER

直饮净水机




XC08-05A-WR

触摸感应 轻松接水

Touch Induction Easy water-taking

触摸感应设计,只需轻轻触碰即可启动出水电磁阀抛弃传统
机械手柄,接水变得更容易。



Touch induction design Only a slight touch can just start "Water Outlet Electro-Magnetic Valve". It abandons the traditional mechanical faucet and gets the water more easily.


内置不锈钢制冷设计

Built-in stainless steel cooling design

双层不锈钢制冷管,内部制冷,制冷更快更节能最低水位控制开关,杜绝
缺水制冷加热系统四重温度控制保护,杜绝无水加热过热保护,防止意外发生。

Super-large of cool water tank.Double-layer stainless steel refrigeration
pipe can freeze from inside.it brings quicker refrigeration and it is
more energy-saving.Low water-level control switch avoid water-
lacking.Four protections of temperature control for heating and
cooling system to avoid water-less heating and Over-heat. Prevent the
product from the accidents.

产品结构图 Product Structure



型号 MODEL

XC08-05A-WR

过滤方式 Water purification method	RO 反(渗透过滤) Reverse osmosis	UF(超细微孔过滤) Ultrafiltration
制水速度 Water purification ability	7.8L/h	50L/h
净水箱容量 Water tank capacity	5.1L	
冷水箱容量 Cold Water tank capacity	2.3L	
热水箱容量 Hot Water tank capacity	1.4L	
冷水温度 Cold Water temp	4~10°C	
热水温度 Hot Water temp	85~93°C	
制冷器 Cooler	压缩机 Compressor	
产品尺寸 Size of model	450x290x1150mm	
包装尺寸 Packing size	510x330x1215mm	
净重 Net weight	26.5kg	24kg
毛重 Gross weight	28.5kg	26kg
装柜数量 Container loading qty	40'HQ/320台	



opnan® 欧普蓝

DESKTOP WATER PURIFIER

台式直饮净水机

超大净水水箱, 尊贵显示屏,
节能方便
Super large pure water tank,
noble display screen,
convenient energy saving

尊贵屏显 节能方便
Noble Screen Display
Convenient And Energy-saving

XC08-02A-WR

防烫保护 安全童锁
Scald protection, Safety Child lock


人性化儿童保护锁设计, 取热水时,
同时按下童锁键才可出水, 有效呵护儿童安全, 使用更放心

Individual child-protection lock design for hot water only you press "Child Lock Key", you can get hot water then. It effectively protects the child safety and it is more secure in use.

高亮度 LED 显示屏, 寿命长, 微电脑控制, 工作状态即时显示, 感光系统设计, 夜间自动关机节能, 冷热开关分离, 满足个人需求更节能

High Luminance LED display screen of long service life Micro-computer control, instant display of the working conditions Light-sensitive system design enables the automatic stop at night so as to save the energy. Cool/hot switch separation satisfies the individual requirements and is more energy-saving as well.

产品结构图 Product Structure



型号 MODEL

XC08-02A-WR

过滤方式 Water purification method	RO 反(渗透过滤) Reverse osmosis	UF(超细微孔过滤) Ultrafiltration
制水速度 Water purification ability	7.8L/h	50L/h
净水箱容量 Water tank capacity	6.5L	
冷水箱容量 Cold Water tank capacity	3.5L	
热水箱容量 Hot Water tank capacity	1.4L	
冷水温度 Cold Water temp	4~10°C	
热水温度 Hot Water temp	85~93°C	
制冷器 Cooler	压缩机 Compressor	
产品尺寸 Size of model	490x342x520mm	
包装尺寸 Packing size	535x390x575mm	
净重 Net weight	20kg	17.5kg
毛重 Gross weight	21.5kg	19kg
装柜数量 Container loading qty	40'/510	20'/255

DESKTOP WATER PURIFIER

台式直饮净水机



冷热保障 纯净安全

Cool/Heating Warranty Safe for use



XC08-04A-WR

触摸感应 轻松接水

Touch Induction Easy water-taking

触摸感应设计,只需轻轻触碰即可启动
出水电磁阀抛弃传统机械手柄,接水变得更轻松

Touch induction design Only a slight touch can just start "Water Outlet Electro-Magnetic Valve". It abandons the traditional mechanical faucet and gets the water more easily.

冷水箱超大设计


Individual Filter Core, DIY Custom-made

双层不锈钢制冷管,内部制冷,制冷更快更节能最低
水位控制开关,杜绝缺水制冷加热系统四重温度
控制保护,杜绝无水加热过热保护,防止意外发生。

Super-large of cool water tank.Double-layer stainless steel
refrigeration pipe can freeze from inside.it brings quicker
refrigeration and it is more energy-saving.Low water-level control
switch avoid water-lacking.

Four protections of temperature control for heating and cooling
system to avoid water-less heating and Over-heat. Prevent the
product from the accidents.

产品结构图 Product Structure



型号 MODEL

XC08-04A-WR

过滤方式	Water purification method	RO 反(渗透过滤) Reverse osmosis	UF(超细微孔过滤) Ultrafiltration
制水速度	Water purification ability	7.8L/h	50L/h
净水箱容量	Water tank capacity	5.1L	
冷水箱容量	Cold Water tank capacity	2.3L	
热水箱容量	Hot Water tank capacity	1.4L	
冷水温度	Cold Water temp	4~10°C	
热水温度	Hot Water temp	85~93°C	
制冷器	Cooler	压缩机	Compressor
产品尺寸	Size of model	467x260x524mm	
包装尺寸	Packing size	530x326x580mm	
净重	Net weight	15.6kg	11kg
毛重	Gross weight	17kg	12.4kg
装柜数量	Container loading qty	40'/616	20'/308



DESKTOP WATER PURIFIER

台式直饮净水机




XC08-07A-WR

三段滤芯设置 Three stages of filter

分别PP+ 炭棒, UF, 后置活性炭+ 碱性球,
滤芯可以依据要求设置不同配置, 滤芯更换非常便捷。

PP+carbon rod,UF membrane, Post carbon+alkaline ball,
we can also use different filters as per your requirement,
Easy to change the filters.

产品结构图 Product Structure



型号 MODEL

XC08-07A-WR

过滤方式 Water purification method	UF (超细微孔过滤) Ultrafiltration
制水速度 Water purification ability	UF 50L/h
热水箱容量 Hot Water tank capacity	1.2L
冷水温度 Cold Water temp	4-10°C
热水温度 Hot Water temp	95°C
制冷器 Cooler	压缩机 Compressor
产品尺寸 Size of model	415x295x375mm
包装尺寸 Packing size	455x345x435mm
净重 Net weight	UF 13kg
毛重 Gross weight	UF 14.5kg
装柜数量 Container loading qty	20'/425pcs

PLATFORM MOUNTED WATER PURIFIER

台上式净水器



XC08-J1

三段滤芯设置
Three stages of filter

分别PP+炭棒,UF,后置活性炭+碱性球,
滤芯可以依据要求设置不同配置,滤芯更换非常便捷。

PP+carbon rod,UF membrane,Post carbon+alkaline ball,
we can also use different filters as per your requirement,
Easy to change the filters.

产品结构图 Product Structure



型号 MODEL


XC08-J1

过滤方式 Water purification method	UF (超细微孔过滤) Ultrafiltration
制水速度 Water purification ability	50L/h
产品尺寸 Size of model	350x280x117mm
包装尺寸 Packing size	465x355x165mm
净重 Net weight	2.50kg
毛重 Gross weight	2.95kg
装柜数量 Container loading qty	20'/900pcs

KOREAN QUICK CONNECT FILTER ELEMENT SERIES

opnan® 欧普蓝

韩式快接滤芯系列



I型 8''

I型 9''

I型 13''

CLIP ON FILTER ELEMENT SERIES

卡接式滤芯系列



工厂流水线和产品展示厅
Factory production lines and showrooms



工厂绿化一角
Plant green corner

